

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A sandwich-type drainage device comprising:
a first planar, membranous element comprised of a fluid-permeable filter fabric; and
a planar array of two or more adjacent and unobstructed, flexible, quasi-tubular stand-off members, wherein a stand-off member of said array comprises an in-line series of hoop devices, the array manifesting an obverse face and reverse face, said obverse face disposed on the first planar membranous element.
2. (Currently Amended) The device of claim 1, wherein ~~a stand-off member of said planar array comprises an in-line series of hoop devices~~, said series imputing to the stand-off member a two-degree of freedom flexibility.
3. (Original) The device of claim 2, wherein said hoop devices is an open loop and said in-line series comprising a coil.
4. (Currently Amended) A sandwich-type drainage device comprising:
a first planar, membranous element comprised of a fluid-permeable filter fabric; and
a planar array of two or more adjacent, flexible, quasi-tubular stand-off members, the array
manifesting an obverse face and reverse face, said obverse face disposed on the first planar membranous
element, further wherein a stand-off member of said planar array comprises an in-line series of hoop
devices, said series imputing to the stand-off member a two-degree of freedom flexibility, further
wherein said hoop devices is an open loop and said in-line series comprising a coil, further ~~The device of~~
~~claim 3~~, wherein said coil is adjoined to another coil by means of a common longeron running between and integral with each coil.

5. (Currently Amended) A sandwich-type drainage device comprising:
a first planar, membranous element comprised of a fluid-permeable filter fabric; and
a planar array of two or more adjacent, flexible, quasi-tubular stand-off members, the array
manifesting an obverse face and reverse face, said obverse face disposed on the first planar membranous
element, further wherein a stand-off member of said planar array comprises an in-line series of hoop
devices, said series imparting to the stand-off member a two-degree of freedom flexibility ~~The device of~~
~~claim 2;~~ wherein said in-line series further comprises a plurality of parallel-arrayed, closed hoops in
which each hoop of the plurality is jointed periodically, and is substantially orthogonal, to at least one
longeron common to all said hoops.
6. (Currently Amended) The device of claim 2, wherein said planar array further comprises two or
more said stand-off members configured in an unobstructed, adjacent and parallel arrangement; ~~including~~
~~an optional, close-proximity, interleaved positioning.~~
7. (Original) The device of claim 2, wherein said planar array further comprises two or more said
stand-off members configured orthogonal to each other.
8. (Currently Amended) The device of claim 1, further comprising ~~a~~ ~~an optional~~ second planar
membranous element overlain and adhered to the reverse face of the array of stand-of members.
9. (Currently Amended) The device of claim 8, wherein said ~~optional~~ second planar membranous
element is a continuum of said first planar membranous element and completely envelopes said planar
array.
10. (Currently Amended) The device of claim 8, wherein said ~~optional~~ second planar membranous
element is a non-permeable, non-biodegradable membrane.

11. (Currently Amended) A subsurface fluid collection and transport assembly comprising:

an essentially loose planar array of quasi-tubular, stand-off members, said stand-off members each comprising a plurality of fixedly, ~~and axially aligned~~ and axially spaced circular configurations that are made of strong, substantially non-biodegradable materials, said array including at least two of said stand-off members disposed in an immediate, unobstructed adjacent relationship;

a planar geo-textile filter fabric overlying the stand-off members at an obverse face of the planar array; and

a reverse side of said array supporting ~~an optional~~ a covering comprised of a non-biodegradable membrane.

12. (Original) The assembly of claim 11, wherein said immediately adjacent relationship includes an interlinking of two or more supports.

13. (Currently Amended) A subsurface fluid collection and transport assembly ~~The assembly of claim 11, comprising:~~

an essentially loose planar array of quasi-tubular, stand-off members, said stand-off members each comprising a plurality of fixedly and axially aligned circular configurations that are made of strong, substantially non-biodegradable materials, said array including at least two of said stand-off members disposed in an immediate, unobstructed adjacent relationship, wherein said immediately adjacent relationship comprises a parallel arraying of two or more supports including optional that includes interleaving;

a planar geo-textile filter fabric overlying the stand-off members at an obverse face of the planar array; and

a reverse side of said array supporting a covering comprised of a non-biodegradable membrane.

14. (Currently Amended) The assembly of claim 11, wherein said ~~optional covering, when used,~~ further comprises a particulate filter fixedly attached to the reverse side of said array and is a continuum of said planar geo-textile filter fabric.

15. (Currently Amended) The assembly of claim 11, wherein said ~~optional covering~~ is a non-permeable, non-biodegradable membrane.

16. (Original) A fluid collection and removal system comprising a drainage article that features a membranous, geo-textile filter cover overlying an obverse face of a planar array of multiple stand-off members, each of said stand-off members disposed in an unobstructed proximity with its adjacent member(s), and each said stand-off member comprising a plurality of spaced and axially aligned hoop configurations that are made of strong, substantially non-biodegradable material.

17. (Original) The system of claim 16, further comprising another membranous cover overlying a reverse face of said planar array.

18. (Original) The system of claim 17, wherein said another membranous cover is a geo-textile filter fabric.

19. (Original) The system of claim 17, wherein said another membranous cover is a non-permeable sheet.

20. (Currently Amended) A fluid collection and removal system comprising a drainage article that features a membranous, geo-textile filter cover overlying an obverse face of a planar array of multiple stand-off members, each of said stand-off members disposed in an unobstructed proximity with its adjacent member(s), and each said stand-off member comprising a

plurality of spaced and axially aligned hoop configurations that are made of strong, substantially non-biodegradable material ~~The system of claim 16~~, wherein said hoop configurations in each said stand-off member is joined periodically, and is substantially orthogonal, to at least one longeron.

21. (Currently Amended) A fluid collection and removal system comprising a drainage article that features a membranous, geo-textile filter cover overlying an obverse face of a planar array of multiple stand-off members, each of said stand-off members disposed in an unobstructed proximity with its adjacent member(s), and each said stand-off member comprising a plurality of spaced and axially aligned hoop configurations that are made of strong, substantially non-biodegradable material ~~The system of claim 16~~, wherein multiple said hoop configurations of at least one said stand-off member are parallel-interleaved with the hoop configurations of at least another one said stand-off member.

22. (Currently Amended) A fluid collection and removal system comprising a drainage article that features a membranous, geo-textile filter cover overlying an obverse face of a planar array of multiple stand-off members, each of said stand-off members disposed in an unobstructed proximity with its adjacent member(s), and each said stand-off member comprising a plurality of spaced and axially aligned hoop configurations that are made of strong, substantially non-biodegradable material ~~The system of claim 16~~, wherein multiple said hoop configurations of at least one said stand-off member are cross-linked with the hoop configurations of at least another one said stand-off member.

Please add the following new claims:

23. (NEW) The device of claim 6, further wherein said two or more said stand-off members are in a close-proximity, interleaved positioned configuration.

24. (NEW) The assembly of claim 11, wherein at least one of said filter fabric and said covering is fixedly attached to said planar array.

25. (NEW) The assembly of claim 24, wherein said fixed attachment is adhesively joined.